

01.11.2023

Certificate of Analysis

From 10.10.2023 to 19.10.2023 We examined on behalf of company Vitaslim Innove Ltd, 18 Shipchenski Prohod Blvd., 1113 Sofia, BULGARIEN with our test report number 3322169 / 2-146942 / 2 with the sample code "Menfloden" for the following parameters:

- **Aerobic mesophilic plate count (total plate count)**
- **Arsenic (As)**
- **Cadmium (Cd)**
- **Enterobacteriaceae**
- **Escherichia coli**
- **Lead (Pb)**
- **Mercury (Hg)**
- **Moulds**
- **Salmonella spp. in 10g**
- **Selenium (Se)**
- **Staphylococcus, coagulase-positive in 1 g**
- **Yeasts**
- **Zinc (Zn)**

With regard to the above-mentioned, investigated parameters and taking into account the measurement uncertainties, tolerances, processing procedures and the currently applicable limits/recomm. values, the analyzed sample (test item) was found according to the above mentioned test report from our point of view as marketable in Germany with regard to the information given in the test report.

The complete statement on conformity including the applied decision rule is documented in the above-mentioned test report.



AGROLAB GROUP
Your labs. Your service.



Service-Team L2
Group leader: Annika Luderer
Food chemist/counter-sampling expert

This Certificate of Analysis may be published by you in unaltered, unabridged form. The date of the Certificate of Analysis must also be stated.

Any other use and in particular duplication of this Certificate of Analysis is not permitted. This certificate of analysis does not replace the test report and is only valid in connection with this report. Any liability arising from improper use and in particular duplication of this Certificate of Analysis is excluded.

Incidentally, our General Terms and Conditions apply: <https://www.agrolab.com/de/agb>